

UNIVERSITY OF TORONTO LIBRARIES

A standard linear barcode consisting of vertical black lines of varying widths on a white background.

3 1761 01291703 5






Digitized by the Internet Archive  
in 2008 with funding from  
Microsoft Corporation





25

ILLUSTRATIONS  
OF  
BRITISH FUNGI.



*Bob  
Thalloph  
c*

# ILLUSTRATIONS

OF

# BRITISH FUNGI

(HYMENOMYCETES),

*To serve as an Atlas to the "Handbook of British Fungi."*

BY

M. C. COOKE, M.A., LL.D., A.L.S.,

Late President of the Quekett Microscopical Club. President of the Hackney Natural History and Microscopical Society. Fellow of the Botanical Society of Edinburgh. Corresponding Member of the Academy of Natural Sciences, Philadelphia; of the Academy of Science of New York; of the Portland Society of Natural History, Maine, and of the Società Crittogamologica Italiana. Honorary Member of the Cryptogamic Society of Scotland; the Woolhope Field Club; Natural History Society of Glasgow; the Hertfordshire Natural History Society; the Norfolk and Norwich Naturalists' Society; the Essex Field Club; and other Societies.

---

VOL. VIII.

S U P P L E M E N T .

---

137428  
6 | 1 | 16

London:

WILLIAMS AND NORGATE, HENRIETTA STREET, W.C.

1889-1891.

QK

607

C67

V.B

# SYSTEMATIC INDEX

TO

## SUPPLEMENT.

### GENUS I. **AGARICUS**, *Linn.*

Sect. 1. LEUCOSPORI. Spores white.

#### Sub-genus 1. **Amanita**, *Fr.*

1102.	solitarius, <i>Bull.</i>	.	.	.	939
1103.	rubescens, <i>Pers.</i>	.	.	.	1163
—	vaginatus, <i>Bull.</i>	.	.	.	
1104.	var. nivalis, <i>Grev.</i>	.	.	.	940

#### Sub-genus 2. **Lepiota**, *Fr.*

1105.	Friesii, <i>Lasch.</i>	.	.	.	941
1106.	emplastrum, <i>C. &amp; M.</i>	.	.	.	1164
1107.	hispidus, <i>Fries</i>	.	.	.	1180
1108.	{ felinus, <i>Pers.</i>	.	.	.	943a
	{ micropholis, <i>B. &amp; Br.</i>	.	.	.	943b
—	cepæstipes, <i>Sow.</i>	.	.	.	—
1109.	var. cretaceus, <i>Bull.</i>	.	.	.	942
1110.	lecmophorus, <i>B. &amp; Br.</i>	.	.	.	1179
1111.	citrophillus, <i>B. &amp; Br.</i>	.	.	.	639
1112.	{ ianthinus, <i>Cooke</i>	.	.	.	944a
	{ martialis, <i>C. &amp; M.</i>	.	.	.	944b

#### Sub-genus. 3. **Armillaria**, *Fr.*

1113.	Jasonis, <i>C. &amp; M.</i>	.	.	.	955
—	focalis, <i>Fries</i>	.	.	.	—
1114.	var. goliathus, <i>Fr.</i>	.	.	.	1165
1115.	citri, <i>Inz.</i>	.	.	.	1181

*Sub-genus 4. Tricholoma, Fr.*

1116.	russula, <i>Schoeff.</i>	.	.	.	926
1117.	variegatus, <i>Scop.</i>	.	.	.	642
—	argyraceus, <i>Fries</i>	.	.	.	—
1118.	var. virescens, <i>Whar.</i>	.	.	.	641
1119.	var. chrysites, <i>Jung.</i>	.	.	.	947
1120.	inodermeus, <i>Fries</i>	.	.	.	954
1121.	tenuiceps, <i>Cke. &amp; Mass.</i>	.	.	.	1166
1122.	fallax, <i>Peck.</i>	.	.	.	1151a
1123.	borealis, <i>Fries</i>	.	.	.	956
—	pes-caprae, <i>Fries</i>	.	.	.	—
1124.	var. multiformis, <i>Schff.</i>	.	.	.	946
1125.	circumtectus, <i>Cooke</i>	.	.	.	1182
1126.	duracinus, <i>Cooke</i>	.	.	.	640
—	melaleucus, <i>Fries</i>	.	.	.	—
1127.	var. poliolens, <i>Fr.</i>	.	.	.	957

*Sub-genus 5. Clitocybe, Fries.*

1128.	opiparus, <i>Fries</i>	.	.	.	1183
1129.	amplus, <i>Pers.</i>	.	.	.	644
—	fumosus, <i>Pers.</i>	.	.	.	—
1130.	var. caespitosus, <i>Cke.</i>	.	.	.	645
1131.	subdecastes, <i>C. &amp; M.</i>	.	.	.	958
1132.	pergamenus, <i>Cooke</i>	.	.	.	643
1133.	occultus, <i>Cooke</i>	.	.	.	1184
1134.	monstrosus, <i>Sow.</i>	.	.	.	648
—	infundibuliformis, <i>Schff.</i>	.	.	.	—
1135.	var. membranaceus, <i>Fr.</i>	.	.	.	646
1136.	sinopicus, <i>Fries</i>	.	.	.	647
—	spinulosus, <i>Stevenson</i>	.	.	.	177
—	vermicularis, <i>Fries</i>	.	.	.	—
1122.	cinerascens, <i>Batsch.</i>	.	.	.	1151b
1137.	zygophyllus, <i>C. &amp; M.</i>	.	.	.	948

*Sub-genus 6. Collybia, Fr.*

1138.	fodiens, <i>Kalch.</i>	.	.	.	949
1139.	prolixus, <i>Fl. Dan.</i>	.	.	.	950
1140.	distortus, <i>Fr.</i>	.	.	.	652
—	velutipes, <i>Fries</i>	.	.	.	—
1141.	var. rubescens, <i>Cke.</i>	.	.	.	650
1142.	floccipes, <i>Fries</i>	.	.	.	1168
1143.	thelephorus, <i>C. &amp; M.</i>	.	.	.	1167
1144.	leucomyosotis, <i>C. &amp; S.</i>	.	.	.	651
1145.	tenacellus, <i>Pers.</i>	.	.	.	640
1146.	eustegius, <i>Cooke</i>	.	.	.	1185
1147.	murinus, <i>Batsch.</i>	.	.	.	1198

*Sub-genus 7. Mycena, Fr.*

1153.	olivaceo-marginatus, <i>Mass.</i>	.	.	959a
1148.	{ mirabilis, <i>C. &amp; Q.</i>	.	.	951a
	{ flavipes, <i>Quel.</i>	.	.	951b
1149.	gypseus, <i>Fries</i>	.	.	952a
1150.	consimilis, <i>Cooke</i>	.	.	1186
1151.	leucogalus, <i>Cooke</i>	.	.	653
1149.	codoniceps, <i>Cooke</i>	.	.	952b

*Sub-genus 8. Omphalia, Fr.*

1152.	{ chrysophyllus, <i>Fries</i>	.	.	1152a
	{ Postii, <i>Fries</i>	.	.	1152b
1153.	{ glaucophyllus, <i>Lasch.</i>	.	.	959b
	{ rusticus, <i>Pers.</i>	.	.	959c

*Sub-genus 9. Pleurotus, Fr.*

1154.	Ruthæ, <i>B. &amp; Br.</i>	.	.	654
1155.	sapidus, <i>Kalch.</i>	.	.	954
—	ostreatus, <i>Fries</i>	.	.	—
1156.	var. columbinus, <i>Bres.</i>	.	.	953

HYPORRHODII. Spores pink.

*Sub-genus 12. Pluteus, Fr.*

1157.	salicinus, <i>Pers.</i>	.	.	1169a
1158.	nigrocinnamomeus, <i>Kalch.</i>	.	.	1153

*Sub-genus 14. Clitopilus, Fries.*

1159.	straminipes, <i>Mass.</i>	.	.	960
-------	---------------------------	---	---	-----

*Sub-genus 16. Leptonia, Fr.*

1157.	asprellus, <i>Fries</i>	.	.	1169b
-------	-------------------------	---	---	-------

*Sub-genus 17. Nolanea, Fr.*

1160.	{ nigripes, <i>Fries</i>	.	.	1170a
	{ subglobosus, <i>A. &amp; S.</i>	.	.	1170b

DERMINI. Spores rusty.

*Sub-genus 21. Pholiota, Fr.*

1161.	molliscomum, <i>C. &amp; M.</i>	.	.	1171
1173.	blattarius, <i>Fries</i>	.	.	1172a

*Sub-genus 22. Inocybe, Fr.*

1162.	perlatus, Cooke . . . .	961
1163.	violaceo-fuscus, C. & M. . . .	1174
1164.	fasciatus, C. & M. . . .	1173

*Sub-genus 23. Hebeloma, Fr.*

1165.	elatus, Batsch. . . .	962
1166.	nauseosus, Cooke . . . .	963

*Sub-genus 24. Flammula, Fr.*

1167.	purpuratus, C. & M. . . .	964
1168.	nitens, C. & M. . . .	1154

*Sub-genus 25. Naucoria, Fr.*

1169.	lugubris, Fries . . . .	1187
1170.	festivus, Bolt. . . .	966
1171.	obtusus, C. & M. . . .	1155
1172.	hamadryas, Fries . . . .	965
1173.	nasutus, Kalch. . . .	1172b

*Sub-genus 27. Galera, Fr.*

1174.	silagineus, Fries . . . .	1156
-------	---------------------------	------

*Sub-genus 28. Tubaria, Sm.*

1175.	{ pellucidus, Bull . . . .	1175a
	{ muscorum, Pers. . . .	1175b

Sect. 4. PRATELLI. Spores purple.

*Sub-genus 30. Chitonia, Fr.*

1176.	rubriceps, C. & M. . . .	967
-------	--------------------------	-----

*Sub-genus 31. Psalliota, Fr.*

1177.	sagatus, Fries . . . .	968
-------	------------------------	-----

*Sub-genus 33. Stropharia, Fr.*

—	merdarius, Fries . . . .	—
1178.	var. major, Fr. . . .	1188
1179.	scobinaceus, Fries . . . .	1189

*Sub-genus 34. Hypoloma, Fr.*

- |  |      |
|--|------|
| 1180. catarius, <i>Fries</i> . . . . .   | 1176 |
| 1181. instratus, <i>Britz.</i> . . . . . | 1157 |

*Sub-genus 35. Psilocybe, Fr.*

- |  |      |
|--|------|
| — areolatus, <i>Klot.</i> . . . . .                | —    |
| 1182. var. virescens, <i>C. &amp; M.</i> . . . . . | 1177 |
| 1183. elvensis, <i>B. &amp; Br.</i> . . . . .      | 969  |

*Sub-genus 36. Psathyra, Fr.*

- |  |     |
|--|-----|
| 1184. gyroflexus, <i>Fries</i> . . . . . | 970 |
|--|-----|

Sect. 5. COPRINARIIL Spores black.

*Sub-genus 37. Panæolus, Fr.*

- |   |      |
|---|------|
| — conopileus, <i>Fries</i> . . . . .        | —    |
| 1185. var. superbus, <i>Jung.</i> . . . . . | 1158 |

GEN. 4. **BOLBITIUS, Fr.**

- |   |      |
|---|------|
| 1186. conocephalus, <i>Bull</i> . . . . .         | 1160 |
| 1187. grandiusculus, <i>C. &amp; M.</i> . . . . . | 1159 |

GENUS 5. **CORTINARIUS, Fries.**Tribe 1. *Phlegmacium.*

- |   |      |
|---|------|
| 1188. testaceus, <i>Cooke</i> . . . . . | 1190 |
|---|------|

Tribe 2. *Myxacium.*

- |                                       |      |
|---------------------------------------|------|
| 1189. nitidus, <i>Fries</i> . . . . . | 1191 |
|---------------------------------------|------|

Tribe 5. *Telamonia.*

- |   |      |
|---|------|
| 1190. lucorum, <i>Fries</i> . . . . .     | 1192 |
| 1191. croceofulvus, <i>D.C.</i> . . . . . | 1193 |

Tribe 6. *Hydrocybe.*

- |   |      |
|---|------|
| 1192. angulosus, <i>Fries</i> . . . . . | 1178 |
|---|------|

GENUS 7. **PAXILLUS, Fries.**

- |   |      |
|---|------|
| 1193. Alexandri, <i>Fries</i> . . . . . | 1162 |
|---|------|

GENUS 8. **HYGROPHORUS**, *Fries.*

- Hydrocybe.*  
1194. spadiceus, *Scop.* . . . . . 1161

GENUS 9. **LACTARIUS**, *Fries.*

1195. involutus, *Sopp.* . . . . . 1194  
1196. squalidus, *Kromb.* . . . . . 1195

GENUS 10. **RUSSULA**, *Pers.*Ser. 2. *Furcatae.*

1197. virginea, *C. & M.* . . . . . 1197

Ser. 5. *Fragiles.*

- ochroleuca, *Pers.* . . . . . —  
1198. var. claroflava, *Grove* . . . . . 1196  
1199. nauseosa, *Pers.* . . . . . 1147

# SPECIFIC INDEX

TO THE WHOLE WORK.

---

PLATE		PLATE	
abhorrens ( <i>Omphalia</i> )	... 272c	allutus ( <i>Phlegmacium</i> )	... 752
<i>abiegnus</i> ( <i>Omphalia</i> )	... 271c	alnicola ( <i>Flammula</i> )	... 443
abietina (Lenzites)	... 1146b	alternatus ( <i>Coprinus</i> )	... 677
abstrusus ( <i>Naucoria</i> )	... 456	alutacea ( <i>Russula</i> )	... 1096, 1097
acerbus ( <i>Tricholoma</i> )	... 76	alveolus ( <i>Crepidotus</i> )	... 499a
acerinus ( <i>Pleurotus</i> )	... 291	amadelphus ( <i>Marasmius</i> )	... 1127
acerosus ( <i>Pleurotus</i> )	... 242c	amarus ( <i>Clitocybe</i> )	... 134a
acervatus ( <i>Collybia</i> )	... 267	ambustus ( <i>Collybia</i> )	... 155b
acetabulosus ( <i>Acetabularia</i> )	... 345	ameides ( <i>Entoloma</i> )	... 341
acicula ( <i>Mycena</i> )	... 190c	amethystinus ( <i>Tricholoma</i> )	... 262
acris ( <i>Lactarius</i> )	... 1005	amianthinus ( <i>Lepiota</i> )	... 213b
actinophorus ( <i>Marasmius</i> )	... 1136b	amicetus ( <i>Mycena</i> )	... 286
acuminatus ( <i>Panæolus</i> )	... 632a	ammoniacus ( <i>Mycena</i> )	... 238a
acutesquamosus ( <i>Lepiota</i> )	... 14	amophilus ( <i>Psilocybe</i> )	... 606b
acutus ( <i>Hydrocybe</i> )	... 845b	ampius ( <i>Clitocybe</i> )	... 644
adiposus ( <i>Pholiota</i> )	... 353	androsaceus ( <i>Marasmius</i> )	... 1129c
adnatus ( <i>Amanita</i> )	... 35	anfractus ( <i>Phlegmacium</i> )	... 705
adonis ( <i>Mycena</i> )	... 185a	anguineus ( <i>Naucoria</i> )	... 455
adusta ( <i>Russula</i> )	... 1051	augulatus ( <i>Marasmius</i> )	... 1126b
ægerita ( <i>Pholiota</i> )	... 453	angulosus ( <i>Hydrocybe</i> )	... 1178
æruginea ( <i>Russula</i> )	... 1090	angustissimus ( <i>Clitocybe</i> )	... 125
æruginosus ( <i>Stropharia</i> )	... 551	anomalus ( <i>Dermocybe</i> )	... 776
æthiops ( <i>Leptonia</i> )	... 323a	anthracinus ( <i>Dermocybe</i> )	... 787a
ætitis ( <i>Mycena</i> )	... 188a	antipus ( <i>Galera</i> )	... 463a
agathosnus ( <i>Hygrophorus</i> )	... 913	aphthosus ( <i>Coprinus</i> )	... 666
aggregatus ( <i>Clitocybe</i> )	... 182	apicalis ( <i>Bolbitius</i> )	... 720b
agrarius ( <i>Psilocybe</i> )	... 622	apiereus ( <i>Flammula</i> )	... 436
albellus ( <i>Tricholoma</i> )	... 229	appendiculatus ( <i>Hypholoma</i> )	... 547
albido-tomentosus ( <i>Panus</i> )	... 1144b	applicatus ( <i>Pleurotus</i> )	... 244c
albidus ( <i>Cantharellus</i> )	... 1107a	aquosus ( <i>Collybia</i> )	... 234
albo-brunneus ( <i>Tricholoma</i> )	... 197	aratus ( <i>Coprinus</i> )	... 674, 675
albo-cyaneus ( <i>Dermocybe</i> )	... 748	aratus ( <i>Psathyrella</i> )	... 636
albo-cyaneus ( <i>Stropharia</i> )	... 552	arbistivus ( <i>Hygrophorus</i> )	... 896a
albo-nigra ( <i>Russula</i> )	... 1016	archyropus ( <i>Marasmius</i> )	... 1122b
albo-violaceus ( <i>Inoloma</i> )	... 747	arcuatus ( <i>Tricholoma</i> )	... 218a
albus ( <i>Tricholoma</i> )	... 65	ardosiacus ( <i>Entoloma</i> )	... 323
alcalinus ( <i>Mycena</i> )	... 187b, 225	arenatus ( <i>Inoloma</i> )	... 763
Alexandri ( <i>Paxillus</i> )	... 1162	areolatus ( <i>Psilocybe</i> )	... 570, 1177
algeriensis ( <i>Pilosace</i> )	... 618	argentatus ( <i>Inoloma</i> )	... 745
algidus ( <i>Pleurotus</i> )	... 260b	argyraceus ( <i>Tricholoma</i> )	165, 947
alliaceus ( <i>Marasmius</i> )	... 1128a	armeniaca ( <i>Russula</i> )	... 1064

	PLATE		PLATE
armeniacus ( <i>Hydrocybe</i> )	... 793	blattarius ( <i>Pholiota</i> )	... 1172a
armillatus ( <i>Telamonia</i> )	... 802	bennius ( <i>Lactarius</i> )	... 988
arvalis ( <i>Naucoria</i> )	... 479	Bloxami ( <i>Entoloma</i> )	... 327
arvensis ( <i>Psalliota</i> )	... 523	bolaris ( <i>Inoloma</i> )	... 760
avinaceus ( <i>Myxacium</i> )	... 737	Boltoni ( <i>Bolbitius</i> )	... 689
asper ( <i>Amanita</i> )	... 10	bombycinus ( <i>Volvaria</i> )	... 293
aspideus ( <i>Lactarius</i> )	... 1083	Bongardii ( <i>Inocybe</i> )	... 331
asprellus ( <i>Leptonia</i> )	... 1169b	borealis ( <i>Tricholoma</i> )	... 956
asterophora ( <i>Nyctalis</i> )	... 1132b	bovinus ( <i>Telamonia</i> )	... 822
asterosporus ( <i>Inocybe</i> )	... 385	brevipes ( <i>Tricholoma</i> )	... 68
astragalinus ( <i>Flammula</i> )	... 435	Brownii ( <i>Cantharellus</i> )	... 1106a
atomatus ( <i>Psathyrella</i> )	... 638	brumalis ( <i>Clitocybe</i> )	... 114
atramentarius ( <i>Coprinus</i> )	... 662	brunneus ( <i>Telamonia</i> )	854, 868
atratus ( <i>Collybia</i> )	... 155a	buccinalis ( <i>Omphalia</i> )	... 272a
atro-cinereus ( <i>Tricholoma</i> )	... 52a	Bucknall ( <i>Lepiota</i> )	... 19b
atro-ceruleus ( <i>Pieurotus</i> )	... 243b	bufonius ( <i>Tricholoma</i> )	... 181
atro-cyanus ( <i>Mycena</i> )	... 236b	bulbigenus ( <i>Entoloma</i> )	... 315
at-ro-punctus ( <i>Eccilia</i> )	... 343b	bulbiger ( <i>Armillaria</i> )	... 20
at-ro-purpureus ( <i>Russula</i> )	... 1087	bulbosus ( <i>Telamonia</i> )	... 834
atvo-rufus ( <i>Psilocybe</i> )	... 571	bullaceus ( <i>Psilocybe</i> )	... 608b
atvo-squamulosus ( <i>Tricholoma</i> )	... 51	Bulliard ( <i>Inoloma</i> )	... 758
atvo-tomentosus ( <i>Paxillus</i> )	... 876	<i>Bullii</i> ( <i>Pluteus</i> )	... 337
atvo-virens ( <i>Phlegmacium</i> )	... 736	bulbula ( <i>Omphalia</i> )	... 252b
augustus ( <i>Psalliota</i> )	... 521	butyraceus ( <i>Collybia</i> )	... 143
aurantiacus ( <i>Cantharellus</i> )	... 1104	byssoides ( <i>Cladopus</i> )	... 344c
aurantiacus ( <i>Lactarius</i> )	... 1099		
aurantiacus ( <i>Stropharia</i> )	... 555	cæsariatus ( <i>Inocybe</i> )	... 388
aurata ( <i>Russula</i> )	... 1080	calamistratus ( <i>Inocybe</i> )	... 389
aureus ( <i>Hygrophorus</i> )	... 896b	caliginosa ( <i>Nyctalis</i> )	... 1132a
aureus ( <i>Pholiota</i> )	... 346	caliginosus ( <i>Panæolus</i> )	... 631a
auricomus ( <i>Inocybe</i> )	... 233	callisteus ( <i>Inoloma</i> )	774, 864
aurivellus ( <i>Pholiota</i> )	... 351	calochorous ( <i>Phlegmacium</i> )	... 713
autochthonus ( <i>Tubaria</i> )	... 514b	calolepis ( <i>Crepidotus</i> )	... 499b
azurea ( <i>Russula</i> )	... 1088	<i>calopus</i> ( <i>Mycena</i> )	... 223a
azureus ( <i>Dermocybe</i> )	... 766	calopus ( <i>Marasmius</i> )	... 1125b
Babingtonii ( <i>Nclanea</i> )	... 377a	calyptraeformis ( <i>Hygrophorus</i> )	894, 923
Badhami ( <i>Lepiota</i> )	... 25	campanella ( <i>Omphalia</i> )	... 272a
badipes ( <i>Naucoria</i> )	... 491a	campanulatus ( <i>Panæolus</i> )	... 629
badipus ( <i>Omphalia</i> )	... 272b	campestris ( <i>Psalliota</i> )	... 526
balanicus ( <i>Mycena</i> )	... 156b	camphoratus ( <i>Inoloma</i> )	... 771
balaustinus ( <i>Hydrocybe</i> )	... 794	camphoratus ( <i>Lactarius</i> )	... 1013
balteatus ( <i>Phlegmacium</i> )	... 696	camptophyllus ( <i>Omphalia</i> )	... 210a
Barlae ( <i>Russula</i> )	... 1061	camurus ( <i>Dermocybe</i> )	... 784
Batschianus ( <i>Entoloma</i> )	... 326	cancerinus ( <i>Clitopilus</i> )	... 501
belliae ( <i>Omphalia</i> )	... 251b	candicans ( <i>Clitocybe</i> )	... 82
bellus ( <i>Clitocybe</i> )	... 183	candidus ( <i>Marasmius</i> )	... 1127c
Berkeleyi ( <i>Phlegmacium</i> )	706, 707	Candoliani ( <i>Hypholoma</i> )	... 546
betulina ( <i>Lenzites</i> )	... 1145a	caninus ( <i>Dermocybe</i> )	... 765
bicolor ( <i>Hydrocybe</i> )	... 871	canofoceius ( <i>Psilocybe</i> )	... 621
biformis ( <i>Telamonia</i> )	... 869	caperatus ( <i>Pholiota</i> )	... 343
bifrons ( <i>Psathyra</i> )	... 594	capillaris ( <i>Mycena</i> )	... 193b
biornatus ( <i>Lepiota</i> )	... 37	capistratus ( <i>Pholiota</i> )	... 364
bivelus ( <i>Telamonia</i> )	... 852	capnocephalus ( <i>Hebeloma</i> )	... 419
blandus ( <i>Tricholoma</i> )	... 263b	capnooides ( <i>Hypholoma</i> )	... 559

PLATE		PLATE	
caprinus (Hygrophorus)	... 916	circumtectus (Tricholoma)	... 1182
capsicum (Lactarius) ...	... 977	cirrhatus (Collybia)	... 144b
caput-medusæ (Stropharia) ...	... 540	citri (Armillaria)	... 1181
carbonarius (Cantharellus) ...	1105	citrina (Russula)	... 1078
carbonarius (Flammula)	... 442	citrinellus (Mycena) ...	... 248a
carcharias (Lepiota) ...	... 42	citrophillus (Lepiota)	... 639
carneo-albus (Clitopilus) ...	324b	claricolor (Phlegmacium)	... 693
carneo-griseus (Eccilia)	... 380b	Clarkii (Hygrophorus)	... 934a
carneus (Tricholoma) ...	... 96a	Clarkii (Inocybe) ...	... 429b
carpophilus (Narcoria)	... 513a	clargflava (Russula) ...	... 1196
carptus (Inocybe) ...	... 426	claviceps (Hebeloma) ...	... 410
cartilagineus (Tricholoma)	... 166	clavicularis (Mycena) ...	... 208b
cascus (Hypoloma)	... 544	clavipes (Clitocybe) ...	... 80
castaneus (Hydrocybe)	... 842	clavus (Collybia) ...	... 147a
catarius (Hypoloma) ...	1176	clitopilus (Flammula) ...	... 500
catinus (Clitocybe) ...	... 111	clivensis (Psilocybe) ...	... 969
caudatus (Psathyrella) ...	... 637	Clusii (Russula) ...	... 1031
cauticinalis (Marasmius) ...	1134b	clusilis (Collybia) ...	... 247b
centunculus (Naucoria) ...	... 601a	clypeatus (Entoloma) ...	... 319
cepaestipes (Lepiota) ...	... 5	clypeolarius (Lepiota) ...	... 38
ceraceus (Hygrophorus)	... 904b	coccineus (Hygrophorus)	... 920
cerasinus (Hygrophorus) ...	898	coccineus (Mycena) ...	... 131c
cerinus (Tricholoma) ...	... 95b	cochleatus (Lentinus) ...	... 1142a
cernuis (Psilocybe) ...	... 574	codoniceps (Mycena) ...	... 952b
cerodes (Naucoria) ...	... 489b	cælatus (Tricholoma) ...	... 96b
cerussatus (Clitocybe) ...	... 121	celestinus (Nolanea) ...	... 372b
cervinus (Pluteus) ...	... 301	cerulea (Russula) ...	... 1052
chalybeus (Leptonia) ...	... 335	cerulescens (Phlegmacium) ...	721, 722
chamæleontina (Russula) ...	1098	cerulescens (Psilocybe) ...	... 573
chelidonium (Mycena) ...	... 207a	cœspitosus (Omphalia) ...	... 209b
chimonophilus (Crepidotus) ...	515a	cohærens (Marasmius) ...	... 1128b
chionæus (Pleurotus) ...	... 212d	Colemannianus (Hygrophorus) ...	903
chlorophanus (Hygrophorus) ...	909	collariatus (Mycena) ...	... 189c
chloropolitanus (Leptonia) ...	... 337	collinitus (Myxacium) ...	... 738
chondrodermus (Psilocybe) ...	606a	collinus (Collybia) ...	... 205
chrysites (Tricholoma) ...	... 947	cołossus (Tricholoma) ...	... 75
chrysodon (Hygrophorus) ...	885	columbetta (Tricholoma) ...	... 48
chrysophæus (Pluteus) ...	306	columbinus (Pleurotus) ...	... 953
chrysophyllus (Omphalia)	... 1152a	colus (Hydrocybe) ...	... 795
chrysorrhæus (Lactarius) ...	984	comatus (Coprinus) ...	... 658
cibarius (Cantharellus) ...	1103	commune (Schizophyllum) ...	... 1114a
cidariorum (Naucoria) ...	... 451	comosus (Pholiota) ...	... 600
cilioides (Lactarius) ...	973	comptulus (Psalliota) ...	... 533
cimicarius (Lactarius) ...	1013b	comptus (Psilocybe) ...	... 589a
cincinnatus (Inocybe) ...	... 425b	conchatus (Panus) ...	... 1149a
cinerascens (Clitocybe) ...	1151b	confertus (Galera) ...	... 463b
cinerascens (Tricholoma) ...	... 170	confluens (Collybia) ...	... 150b
cinereus (Cantharellus) ...	1110a	congregatus (Coprinus) ...	... 679
cinereus (Coprinus) ...	... 671	conicus (Hygrophorus) ...	... 908
cinereus (Hygrophorus) ...	932b	conigenus (Collybia) ...	... 130
cinnabarinus (Dermocybe) ...	785b	conissans (Flammula) ...	... 445
cinnabarinus (Lepiota) ...	... 43	conocephalus (Bolbitius) ...	... 1160
cinnamomeus (Dermocybe) ...	777, 778	conopileus (Psathyra) ...	575, 1158
circellatus (Lactarius) ...	... 990	consimilis (Mycena) ...	... 1186
circinatus (Pleurotus) ...	... 257b	consobrina (Russula) ...	... 1055

	PLATE		PLATE
conspersus (Naucoria)	... 512a	damascenus (Hydrocybe)	... 856
constrictus (Armillaria)	... 46	dealbatus (Clitocybe) ...	104, 173
controversus (Lactarius)	... 1003	debilis (Mycena) ...	... 189a
Cookei (Pholiota) ...	354	decipiens (Flammula) ...	... 438b
Cookei (Telamonia) ...	... 840b	decipiens (Hydrocybe) ...	... 795b
coprophilus (Psilocybe)	... 608a	decorans (Phlegmacium)	... 730
coracinus (Collybia) ...	... 153b	decorans (Russula) ...	... 1079
coronillus (Stropharia)	... 535	decoloratus (Phlegmacium)	... 729
corrosus (Phlegmacium)	... 715	decumbeus (Dermocybe) ...	... 816a
corrugis (Psathyra) ...	579, 592	degener (Xerotus) ...	... 1150b
corticatus (Pleurotus) ...	... 290	deglobens (Inocybe) ...	... 394
corticola (Mycena) ...	... 164a	delibutus (Myxarium) ...	... 743
coruscans (Phlegmacium) ...	733	deliba (Russula) ...	... 1068
cossus (Hygrophorus) ...	... 887	delicatus (Lepiota) ...	... 18b
costatus (Entoloma) ...	... 320a	deliciosus (Lactarius) ...	... 982
costatus ( <i>Psalliotia</i> ) ...	... 528a	déliquescens (Coprinus) ...	... 678
cotoneus (Dermocybe)	... 749	demissus (Omphalia) ...	... 250a
eraspedins (Pleurotus)	... 256	densifolia (Russula) ...	... 1017
crassifolius (Tricholoma)	... 92	depallens (Russula) ...	... 1021
crassus (Paxillus)	... 877	depluens (Claudopus) ...	... 344b
crassus (Phlegmacium)	... 695	depressus (Hydrocybe) ...	... 860
cremor (Lactarius) ...	... 1008	destructus (Inocybe) ...	... 397
crenatus (Psathyrella) ...	... 847	deverexus (Cantharellus) ...	... 1150a
cretaceus (Lepiota) ...	... 942	diabolicus (Dermocybe) ...	... 816b
cretaceus ( <i>Psalliotia</i> ) ...	... 524	diatretus (Clitocybe) ...	... 232
cretatus (Clitopilus) ...	... 375b	dibaphus (Phlegmacium) ...	... 753
crispa (Trogia) ...	... 1114a	difformis (Clitocybe) ...	... 122
cristatus (Lepiota) ...	... 29	dilutus (Hydrocybe) ...	... 810
crobulus (Tubaria) ...	... 496	directus (Omphalia) ...	... 251a
crocatus (Mycena) ...	... 163b	discoidens (Hygrophorus) ...	... 912
croceo-cæruleus (Phlegmacium)	732	discopus (Mycena) ...	... 192b
croceo-conus (Dermocybe)	... 780b	dispersus (Hypholoma) ...	... 586
croceofulvus (Telamonia) ...	1193	dispersus (Naucoria) ...	... 511b
croceus (Dermocybe) ...	... 780a	disseminatus (Psathyrella) ...	... 657b
cruentatus (Pholiota) ...	... 502	dissiliens (Mycena) ...	... 285a
cruentus (Mycena) ...	... 162b	dissimilans (Pholiota) ...	... 371
crustuliniformis (Hebeloma) ...	507, 414	distant (Hygrophorus) ...	... 902
crystallinus (Phlegmacium) ...	728	distortus (Collybia) ...	282, 652
cucumis (Naucoria) ...	... 452	ditopas (Clitocybe) ...	... 116
cumatilis (Phlegmacium)	... 726	dolabratius (Hydrocybe) ...	... 811
cuneifolius (Tricholoma)	... 52b	domesticus (Coprinus) ...	... 684
cuprea (Russula) ...	... 1095b	drimacia (Russula) ...	... 1023
cupularis (Tubaria) ...	... 602	dryinus (Pleurotus) ...	... 226
cupulatus (Cantharellus)	... 1110b	dryophilus (Collybia) ...	... 204
Curreyi (Inocybe) ...	... 398	dulcamarus (Inocybe) ...	... 582b
Curreyi (Marasmius) ...	... 1130b	Dunalii (Lentinus) ...	... 1139b
curvipes (Pholiota) ...	... 370b	Dupontii (Russula) ...	... 1042b
cutefracta (Russula) ...	1024, 1040	duracinus (Hydrocybe) ...	... 809
cyanophæus (Clitocybe) ...	264	duracinus (Tricholoma) ...	... 640
cyanopus (Phlegmacium) ...	... 699	durus (Pholiota) ...	... 423
cyanoxauta (Russula) ...	1043, 1076, 1077	eburneus (Hygrophorus) ...	... 886
cyathiformis (Clitocybe) ...	... 113	echinatus (Inocybe) ...	... 395
cyathula (Lactarius) ...	... 1085	ectypus (Clitocybe) ...	... 126
cypellæformis (Pleurotus) ...	244b		



	PLATE		PLATE
frumentaceus ( <i>Tricholoma</i> ) ...	470	griseo-pallidus ( <i>Omphalia</i> ) ...	241b
fucatus ( <i>Tricholoma</i> ) ...	73	griseo-rimosus ( <i>Tricholoma</i> ) ...	261
fulgens ( <i>Phlegmacium</i> ) ...	716	griseo-rubellus ( <i>Eccilia</i> ) ...	613a
fuliginosus ( <i>Lactarius</i> ) ...	996	griseus ( <i>Omphalia</i> ) ...	210b
fulmineus ( <i>Phlegmacium</i> ) ...	717	gummosus ( <i>Flammula</i> ) ...	441
fulvellus ( <i>Tricholoma</i> ) ...	57	guttatus ( <i>Tricholoma</i> ) ...	59
fumosus ( <i>Clitocybe</i> ) ...	175, 645	gymnopodium ( <i>Flammula</i> ) ...	431
furcata ( <i>Russula</i> ) ...	1036, 1086	gypseus ( <i>Mycena</i> ) ...	952a
furfuraceus ( <i>Tubaria</i> ) ...	603	gyroflexus ( <i>Psathyra</i> ) ...	970
fuseescens ( <i>Coprinus</i> ) ...	663		
fusco-albus ( <i>Hygrophorus</i> ) ...	899		
fusco-purpureus ( <i>Marasmius</i> )	1121b		
fasipes ( <i>Collybia</i> ) ...	141		
fusus ( <i>Flammula</i> ) ...	433, 434		
gadinooides ( <i>Pleurotus</i> ) ...	276a	haemactus ( <i>Inocybe</i> ) ...	390
galericulatus ( <i>Mycena</i> ) ...	222	haematinus ( <i>Armillaria</i> ) ...	45
gallinaceus ( <i>Clitocybe</i> ) ...	174	haematochelis ( <i>Telamonia</i> ) ...	803
galochroa ( <i>Russula</i> ) ...	1089	haematopus ( <i>Mycena</i> ) ...	162a
galopus ( <i>Mycena</i> ) ...	207b	hemorrhoidarius ( <i>Psalliotia</i> ) ...	531
gambosus ( <i>Tricholoma</i> ) ...	63	hamadryas ( <i>Naucoria</i> ) ...	965
gentilis ( <i>Telamonia</i> ) ...	806	hariolorum ( <i>Collybia</i> ) ...	150a
geophyllus ( <i>Inocybe</i> ) ...	401	haustellaris ( <i>Crepidotus</i> ) ...	515a
Georginæ ( <i>Lepiota</i> ) ...	132	hebes ( <i>Psathyre</i> ) ...	589b
geotropus ( <i>Clitocybe</i> ) ...	83	helobius ( <i>Psathyra</i> ) ...	579
germanus ( <i>Hygrophorus</i> ) ...	844	helodes ( <i>Entoloma</i> ) ...	339, 373
giganteus ( <i>Clitocybe</i> ) ...	106	helomorphus ( <i>Flammula</i> ) ...	449a
gilvus ( <i>Clitocybe</i> ) ...	136	helvelloides ( <i>Telamonia</i> ) ...	836
glandicolor ( <i>Telamonia</i> ) ...	879	helvolus ( <i>Telamonia</i> ) ...	804b
glandiformis ( <i>Naucoria</i> ) ...	490b	helvus ( <i>Lactarius</i> ) ...	994
glareous ( <i>Psathyra</i> ) ...	591b	hemerobius ( <i>Coprinus</i> ) ...	687a
glaucomphylus ( <i>Omphalia</i> ) ...	959b	hemitrichus ( <i>Telamonia</i> ) ...	825
glaucopus ( <i>Phlegmacium</i> ) ...	712	Hendersouii ( <i>Coprinus</i> ) ...	680a
glaucus ( <i>Cantharellus</i> ) ...	1115b	hepaticus ( <i>Omphalia</i> ) ...	250b
gliodermus ( <i>Lepiota</i> ) ...	118a	<i>Herefordiensis</i> ( <i>Pholiota</i> ) ...	347
gloiocephalus ( <i>Volvaria</i> ) ...	298	herpeticus ( <i>Phlegmacium</i> ) ...	849
glutinifer ( <i>Hygrophorus</i> ) ...	889	heteroclitus ( <i>Pholiota</i> ) ...	366
glutinosus ( <i>Gomphidius</i> ) ...	879	heterophylla ( <i>Russula</i> ) ...	1044, 1045
glutinosus ( <i>Hebeloma</i> ) ...	430	hiascens ( <i>Psathyrella</i> ) ...	635
glyciosmus ( <i>Lactarius</i> ) ...	1011	hiemalis ( <i>Mycena</i> ) ...	164b
<i>goliathus</i> ( <i>Armillaria</i> )	31, 1165	hinnuleus ( <i>Telamonia</i> ) ...	805
Gordoni ( <i>Psathyra</i> ) ...	580a	hirneolus ( <i>Clitocybe</i> ) ...	246b
gossypinus ( <i>Psathyra</i> ) ...	612a	hispidulus ( <i>Pluteus</i> ) ...	304b
gracilentus ( <i>Lepiota</i> ) ...	28	hispidus ( <i>Lepiota</i> ) ...	27, 1180
gracilis ( <i>Gomphidius</i> ) ...	883	hiuleus ( <i>Inocybe</i> ) ...	397
gracils ( <i>Psathyrella</i> ) ...	634	Hobsoni ( <i>Pleurotus</i> ) ...	212a
gracillimus ( <i>Omphalia</i> ) ...	252a	holosericeus ( <i>Lepiota</i> ) ...	41
grallipes ( <i>Myxaciun</i> ) ...	734	horizontalis ( <i>Naucoria</i> ) ...	601b
graminicola ( <i>Naucoria</i> ) ...	513b	<i>hortensis</i> ( <i>Psalliotia</i> ) ...	527
graminum ( <i>Marasmius</i> ) ...	1129b	Houghtoni ( <i>Cantharellus</i> ) ...	1107b
grammopodium ( <i>Tricholoma</i> ) ...	98	Houghtoni ( <i>Hygrophorus</i> ) ...	936
grandiusculus ( <i>Bolbitius</i> ) ...	1159	Hudsoni ( <i>Marasmius</i> ) ...	1135b
granulosa ( <i>Russula</i> ) ...	1038	humilis ( <i>Tricholoma</i> ) ...	99, 263
granulosus ( <i>Lepiota</i> ) ...	18	hybridus ( <i>Flammula</i> ) ...	615
griseo-cyanus ( <i>Entoloma</i> ) ...	318b	hydrogrammus ( <i>Omphalia</i> ) ...	239



## SPECIFIC INDEX.

	PLATE		PLATE
limonius ( <i>Telamonia</i> )	... 804a	melleus ( <i>Armillaria</i> )	... 32
limpidus ( <i>Pleurotus</i> )	... 276b	membranaceus ( <i>Clitocybe</i> )	... 646
lineatus ( <i>Mycena</i> )	... 185b	merdarius ( <i>Stropharia</i> )	537, 1188
Linnæi ( <i>Russula</i> )	... 1026	mesomorphus ( <i>Lepiota</i> )	... 85b
liquecens ( <i>Entoloma</i> )	... 581	mesophaeus ( <i>Hebeloma</i> )	411, 412
livido-albus ( <i>Hygrophorus</i> )	... 915	mesotephrus ( <i>Hygrophorus</i> )	914
livido-ochraceus ( <i>Myxacium</i> )	767	metachrous ( <i>Clitocybe</i> )	... 115
lividus ( <i>Entoloma</i> )	... 311	metapodus ( <i>Hygrophorus</i> )	... 918
lividus ( <i>Paxillus</i> )	... 861	metatus ( <i>Mycena</i> )	... 238b
lixivius ( <i>Tricholoma</i> )	... 120b	metalæsporus ( <i>Lepiota</i> )	... 32
lobatus ( <i>Cantharellus</i> )	... 1112b	micaceus ( <i>Coprinus</i> )	... 673
lobatus ( <i>Clitocybe</i> )	... 137	micaceus ( <i>Hygrophorus</i> )	... 905b
longicaudus ( <i>Hebeloma</i> )	415, 416	microcyclus ( <i>Telamonia</i> )	... 865
longipes ( <i>Collybia</i> )	... 201	micropholis ( <i>Lepiota</i> )	... 943b
Lovianus ( <i>Volvaria</i> )	... 235	micerizus ( <i>Psathyra</i> )	... 596a
lucifugus ( <i>Inocybe</i> )	... 429a	militaris ( <i>Tricholoma</i> )	... 169
lucorum ( <i>Telamonia</i> )	... 1192	miltinus ( <i>Dermocybe</i> )	... 785
lugubris ( <i>Naucoria</i> )	... 1187	milvinus ( <i>Hydrocybe</i> )	... 846b
luridus ( <i>Tricholoma</i> )	... 214	mimicus ( <i>Collybia</i> )	... 129
lustratus ( <i>Phlegmacium</i> )	... 799	miniatus ( <i>Hygrophorus</i> )	... 921a
lutea ( <i>Russula</i> )	... 1082	minimus ( <i>Lactarius</i> )	... 986b
luteo-albus ( <i>Mycena</i> )	... 159a	minutus ( <i>Galera</i> )	... 466b
luteo-nitens ( <i>Stropharia</i> )	... 604	mirabilis ( <i>Mycena</i> )	... 951a
luxurians ( <i>Pholiota</i> )	... 365	mitis ( <i>Pleurotus</i> )	... 211
		mitissimus ( <i>Lactarius</i> )	... 1001
macilentus ( <i>Collybia</i> )	... 26·b	mixtus ( <i>Flammula</i> )	... 474
macrocephalus ( <i>Coprinus</i> )	... 632a	mniophilus ( <i>Galera</i> )	... 466a
macropus ( <i>Telamonia</i> )	... 788	mollis ( <i>Crepidotus</i> )	... 498
macrorhizus ( <i>Coprinus</i> )	... 670	mollis ( <i>Hygrophorus</i> )	... 921b
macrorhizus ( <i>Tricholoma</i> )	... 278	molliscorium ( <i>Pholiota</i> )	... 1171
maculata ( <i>Russula</i> )	... 1069	monstrosus ( <i>Clitocybe</i> )	... 648
maculatus ( <i>Gomphidius</i> )	... 882	monstrosus ( <i>Lactarius</i> )	... 995
maculatus ( <i>Collybia</i> )	... 142	mucidus ( <i>Armillaria</i> )	... 16
magnificus ( <i>Amanita</i> )	... 34	mucifluus ( <i>Myxacium</i> )	... 740
magnimamma ( <i>Hebeloma</i> )	... 508a	mucosus ( <i>Myxacium</i> )	... 739
malachius ( <i>Inoloma</i> )	... 756	mueronellus ( <i>Hygrophorus</i> )	... 937b
mammosus ( <i>Lactarius</i> )	... 995	Mulleri ( <i>Pholiota</i> )	... 471
mammosus ( <i>Nolaea</i> )	... 377b	multiformis ( <i>Phlegmacium</i> )	708, 709
mappa ( <i>Amanita</i> )	... 4	multiformis ( <i>Tricholoma</i> )	... 946
margarispora ( <i>Inocybe</i> )	... 505	mundulus ( <i>Clitopilus</i> )	... 375a
marginatus ( <i>Pholiota</i> )	... 372	muralis ( <i>Omphalia</i> )	... 250c
maritimus ( <i>Inocybe</i> )	... 392	muricinus ( <i>Inoloma</i> )	... 815
martialis ( <i>Lepiota</i> )	... 944b	murinaceus ( <i>Tricholoma</i> )	... 49
mastiger ( <i>Psathyra</i> )	... 591a	murinus ( <i>Collybia</i> )	... 1198
mastoideus ( <i>Lepiota</i> )	... 24	muscarius ( <i>Amanita</i> )	... 117
mastrucatus ( <i>Pleurotus</i> )	... 243a	muscigenus ( <i>Cantharellus</i> )	1115a
maurus ( <i>Omphalia</i> )	... 287a	muscigenus ( <i>Collybia</i> )	147c
maximus ( <i>Clitocybe</i> )	... 135	muscorum ( <i>l'ubaria</i> )	1175b
medius ( <i>Volvaria</i> )	... 300a	mussivus ( <i>Hebeloma</i> )	... 405
medullatus ( <i>Lepiota</i> )	... 44	mustelina ( <i>Russula</i> )	... 1018
megalodactylus ( <i>Amanita</i> )	... 11	mustelinus ( <i>Pholiota</i> )	... 356a
melaleucus ( <i>Tricholoma</i> )	... 119	mutabilis ( <i>Pholiota</i> )	... 355
melaspermus ( <i>Stropharia</i> )	... 536	muticus ( <i>Inocybe</i> )	... 382
meleagris ( <i>Lepiota</i> )	... 26	mutilus ( <i>Pleurotus</i> )	... 275b
melinoides ( <i>Naucoria</i> )	... 457a	mycenoides ( <i>Pholiota</i> )	... 503b



## SPECIFIC INDEX.


	PLATE	PLATE
<i>pellospermus (Psathyra)</i>	... 577	<i>porphyropus (Phlegmacium)</i> ... 731
<i>pellucidus (Tubaria)</i> ...	1175a	<i>porreus (Marasmius)</i> ... 1133
<i>penarius (Hygrophorus)</i>	895b	<i>porrigens (Pleurotus)</i> ... 259a
<i>penicillatus (Inoloma)</i>	764	<i>porriginosus (Naucoria)</i> ... 510
<i>pennatus (Psathyra)</i> ...	580b	<i>portentosus (Tricholoma)</i> ... 54
<i>perbrevis (Inocybe)</i> ...	519	<i>Postii (Omphalia)</i> ... 194a, 1152b
<i>Percevalii (Stropharia)</i>	550	<i>praecox (Pholiota)</i> ... 360
<i>perforans (Marasmius)</i>	1130c	<i>prasinus (Phlegmacium)</i> ... 735
<i>pergamenus (Clitocybe)</i>	643	<i>prasiosmus (Marasmius)</i> ... 1120
<i>pergamenus (Lactarius)</i>	978	<i>pratensis (Hygrophorus)</i> ... 917
<i>periscelis (Telamonia)</i>	838	<i>pratensis (Psalliota)</i> ... 525
<i>perlatus (Inocybe)</i> ...	961	<i>privignus (Hydrocybe)</i> ... 827
<i>peronatus (Marasmius)</i>	1117	<i>procerus (Lepiota)</i> ... 21
<i>personatus (Tricholoma)</i>	66	<i>proliferus (Mycena)</i> ... 235
<i>pes-caprae (Tricholoma)</i>	946	<i>prolixus (Collybia)</i> ... 950
<i>petaloïdes (Pleurotus)</i>	258a	<i>pronus (Psathyrella)</i> ... 656
<i>petasatus (Plateus)</i> ...	303	<i>protractus (Collybia)</i> ... 270a
<i>petiginosus (Hebeloma)</i>	508b	<i>pruinosis (Clitocybe)</i> ... 231
<i>pezizoides (Crepidotus)</i>	516d	<i>prunuloides (Entoloma)</i> ... 312
<i>phaeocephalus (Inocybe)</i>	396	<i>prunulus (Clitopilus)</i> ... 322
<i>phalenarum (Panæous)</i>	626	<i>psammicola (Mycena)</i> ... 186a
<i>phalloides (Amanita)</i> ...	2	<i>psammocephalus (Telamonia)</i> 839a
<i>Phillipsii (Crepidotus)</i>	515c	<i>psathyroides (Collybia)</i> ... 266
<i>philonotis (Omphalia)</i>	289b	<i>pseudo-androsaceus (Omphalia)</i> 241a
<i>pl lebophorus (Plateus)</i>	422a	<i>pseudoduporus (Mycena)</i> ... 158a
<i>pholideus (Inoloma)</i> ...	761	<i>psittacinus (Hygrophorus)</i> ... 910
<i>phyllophilus (Clitocybe)</i>	81	<i>pterigenus (Mycena)</i> ... 192c
<i>physalodes (Psilocybe)</i>	609a	<i>pubescens (Lactarius)</i> ... 974
<i>picaceus (Coprinus)</i> ...	665	<i>padiens (Pholiota)</i> ... 362
<i>piceus (Nolanea)</i> ...	379a	<i>pudorinus (Hygrophorus)</i> ... 911
<i>picinns (Lactarius)</i> ...	997	<i>puellaris (Russula)</i> ... 1065
<i>picreus (Flammula)</i> ...	448	<i>pulchralis (Russula)</i> ... 1095a
<i>pictipes (Russula)</i> ...	1086	<i>pullatus (Mycena)</i> ... 237
<i>pictus (Omphalia)</i> ...	272c	<i>pulverulentus (Hygrophorus)</i> 895a
<i>pinetorum (Inoloma)</i> ...	746	<i>pumilus (Pholiota)</i> ... 503a
<i>piperatus (Lactarius)</i> ...	979	<i>punctata (Russula)</i> ... 1032
<i>pisciodes (Nolanea)</i> ...	378a	<i>punctatus (Telemonia)</i> ... 855
<i>pithyophilus (Clitocybe)</i>	103a	<i>punctulatus (Hypholoma)</i> ... 587b
<i>placenta (Entoloma)</i> ...	314	<i>paniceus (Hygrophorus)</i> ... 922
<i>placidus (Leptonia)</i> ...	330	<i>purpurascens (Phlegmacium)</i> 723, 724
<i>plancus (Marasmius)</i> ...	1119a	<i>purpurascens (Psalliota)</i> ... 584
<i>platypus (Coprinus)</i> ...	687b	<i>purpuratus (Flammula)</i> ... 964
<i>platyphyllus (Collybia)</i>	128	<i>purpurea (Russula)</i> ... 1022
<i>plexipes (Collybia)</i> ...	154b	<i>parus (Mycena)</i> ... 157
<i>plicatilis (Coprinus)</i> ...	686a	<i>pusiolus (Naucoria)</i> ... 457b
<i>plicato-crenatus (Mycena)</i>	248b	<i>putidus (Tricholoma)</i> ... 172
<i>plicosus (Mycena)</i> ...	285b	<i>pygmæo-affinis (Galera)</i> ... 481b
<i>plumosus (Inocybe)</i> ...	425a	<i>pyriodorus (Inocybe)</i> ... 472
<i>pluvius (Myxarium)</i> ...	769	<i>pyrogalus (Lactarius)</i> ... 993
<i>polioleucus (Tricholoma)</i>	957	<i>pyrotrichus (Hypholoma)</i> ... 564
<i>polyadelphus (Marasmius)</i>	1137b	<i>pyxidatus (Omphalia)</i> ... 194b
<i>polygrammus (Mycena)</i>	223b	<i>quadricolor (Telamonia)</i> ... 867
<i>polystictus (Lepiota)</i> ...	30	<i>Quaternii (Russula)</i> ... 1028
<i>popinalis (Citopilus)</i> ...	485	<i>quietus (Lactarius)</i> ... 983
<i>porphyroleucus (Tricholoma)</i>	119b	<i>quinquepartitus (Tricholoma)</i> 74




	PLATE		PLATE
serobiculatus (Lactarius)	... 971	spilopus (Pluteus)	... 325
scutulatus (Telamonia)	... 820a	spinulosus (Lactarius)	... 998b
sebacenus (Phlegmacium)	... 697	spintriger (Stropharia)	... 542
sejunctus (Tricholoma)	... 53	spinulosus (Clitocybe)	... 177
semibulbosus (Pluteus)	... 518a	spissus (Amanita)	... 69
semicrenia (Russula)	... 1067	splachnoides (Marasmius)	... 1130a
semiflexus (Naucoria)	... 509a	splendens (Clitocybe)	... 109
semiglobatus (Stropharia)	... 539	spodoleucus (Marasmius)	... 1137c
semilanceatus (Psilocybe)	572, 573	spongiosus (Pleurotus)	... 253
seminudus (Lepiota)	... 19a	Spraguei (Coprinus)	... 683b
senioricularis (Naucoria)	... 493a	spumosus (Flammula)	... 476
semisanguineus (Dermocybe)	... 779	squalidus (Lactarius)	1004a, 1195
semitalis (Collybia)	... 292	squamosus (Hypholoma)	... 558
semilinctus (Psathyra)	... 594b	squamosus (Stropharia)	... 553
semivestitus (Psathyra)	... 578	squareolus (Pholiota)	... 367
senescens (Hebeloma)	... 407	stagninus (Tubaria)	... 468
senilis (Clitocybe)	... 110	stanneus (Mycena)	... 188b
separatus (Panæolus)	... 623	stans (Tricholoma)	... 198
sepiaria (Lenzites)	... 1146a	stellatus (Omphalia)	... 241c
septicus (Plenrotus)	... 259b	stemmatus (Telamonia)	... 840a
sericellus (Entoloma)	... 307	stercorarius (Coprinus)	... 685a
sericeus (Entoloma)	... 320b	stercorarius (Stropharia)	... 538
serifluus (Lactarius)	... 1012	sterquilinus (Coprinus)	... 660
serotina (Russula)	... 1042a	Stevensonii (Cantharellus)	... 1111b
serotinus (Pleurotus)	... 258b	Stevensonii (Collybia)	... 145b
serrulatus (Leptonia)	... 333	stilbocephalus (Clitopilus)	324a, 599
setosus (Mycena)	... 193a	stillatius (Myxacium)	... 831
sideroides (Naucoria)	... 458a	stipitarius (Collybia)	... 149b
siliquineus (Galera)	... 1156	stolonifer (Collybia)	... 152c
silvaticus (Psalliota)	... 530	storea (Hypholoma)	... 543
silvicola (Psalliota)	... 529	straminipes (Clitopilus)	... 960
sinapizans (Hebeloma)	... 413	strangulatus (Amanita)	... 13
sindonius (Inocybe)	... 400	striæpes (Naucoria)	... 478
sinopicus (Clitocybe)	... 647	striapiles (Omphalia)	... 288b
sinuatus (Entoloma)	... 310	striatulus (Pleurotus)	... 212b
siparius (Naucoria)	... 480b	strobiliformis (Amanita)	... 8, 277
sistratus (Lepiota)	... 85a	strobilinus (Mycena)	... 131b
soboliferus (Coprinus)	... 848	stylobatus (Mycena)	... 249a
sobrius (Naucoria)	... 511a	stypticus (Panus)	... 1144a
socialis (Clitocybe)	... 134b	suavis (Leptonia)	... 488
solitarius (Amanita)	... 939	subatratus (Psathyrella)	... 633
solstitialis (Leptonia)	... 332b	subbalteatus (Panæolus)	... 631b
sordidus (Tricholoma)	... 100	subcavus (Armillaria)	... 46
sororia (Russula)	... 1057	subcollariatus (Hebeloma)	... 506
spadiceo-griseus (Psathyra)	... 611	subdecastes (Clitocybe)	... 958
spadiceus (Hygrophorus)	... 1161	subdulcis (Lactarius)	... 1002
spadiceus (Psilocybe)	... 610	subericæus (Psilocybe)	... 588
spartens (Galera)	... 481a	subferrugineus (Hydrocybe)	... 808
speciosus (Volvaria)	... 297	subfœtens (Russula)	... 1047
spectabilis (Pholiota)	... 352	subgibbosus (Psalliota)	... 532
speculum (Entoloma)	... 308	subglobosus (Nolanea)	... 1170b
speireus (Mycena)	... 190a	sublanatus (Inoloma)	... 762
spermaticus (Tricholoma)	... 87	sublateritius (Hypholoma)	... 557, 558
sphagnicola (Omphalia)	... 289a	subnotatus (Dermocybe)	... 832
sphinctrinus (Panæolus)	... 62S	subpalmatus (Pleurotus)	... 255

PLATE		PLATE	
subpulverulentus (Tricholoma) ...	219	triformis (Telamonia) ...	790
subinvolutus (Clitocybe) ...	108	trigonophyllus (Tubaria) ...	483
subpurpurascens ( <i>Phlegmacium</i> ) ...	725	Trinii (Inocybe) ...	428
subradiatus (Hygrophorus) ...	935a	triscopus (Naucoria) ...	458b
subumbonatus (Lactarius) ...	986a	triumphans (Phlegmacium) ...	692
succineus (Collybia) ...	151a	trivalis (Lactarius) ...	976
sudorus (Mycena) ...	206	Trogii (Clitocybe) ...	102
sulphureus (Tricholoma) ...	62	truncatus (Hebeloma) ...	417
<i>Swarzii</i> ( <i>Omphalia</i> ) ...	274	tuba (Clitocybe) ...	112
tabacinus (Naucoria) ...	493b	tubæformis (Cantharellus) ...	1108
tabularis (Dermocybe) ...	783	tuberculosus (Pholiota) ...	370a
talus (Phlegmacium) ...	711	tuberous (Collybia) ...	144a
tardus (Coprinus) ...	719	tumidus (Tricholoma) ...	93
Taylori (Volvaria) ...	296	tumulosus (Clitocybe) ...	105
telmatœus (Omphalia) ...	240	turbanatus (Phlegmacium) ...	714
temperatus (Volvaria) ...	300b	turmalis (Phlegmacium) ...	694
temulentus (Naucoria) ...	459	turpis (Lactarius) ...	987
tenaceus (Collybia) ...	152b,c	turnndus (Hygrophorus) ...	921b
tenax (Naucoria) ...	640	tylicolor (Collybia) ...	247a
tenellus (Mycena) ...	617b	udus (Psilocybe) ...	569
tener (Bolbitius) ...	190b	uliginosus (Dermocybe) ...	851
tener (Galera) ...	691	ulmarius (Pleurotus) ...	227
tenerrimus (Mycena) ...	461	umbelliferus (Omphalia) ...	271
tenuiceps (Tricholoma) ...	249b	umbonatus (Cantharellus) ...	1106b
tenuis (Mycena) ...	1166	umbratilis (Omphalia) ...	274a
terginus (Marasmius) ...	160b	umbrinus (Lactarius) ...	1006
terreas (Tricholoma) ...	1122a	umbrosus (Platens) ...	304a
terrigenus (Pholiota) ...	50	undatus (Clitopilus) ...	486
tesquorum (Collybia) ...	349	unguinosus (Hygrophorus) ...	924
tessulatus (Pleurotus) ...	349	unicolor (Pholiota) ...	356b
testaceus (Hebeloma) ...	270b	unimodus (Hydrocybe) ...	859
testaceus (Phlegmacium) ...	408	uraceus (Hydrocybe) ...	796
thelephorus (Collybia) ...	1190	urbicus (Telamonia) ...	818
Thomsoni (Entoloma) ...	1167	urens (Marasmius) ...	1116
thraustus ( <i>Stropharia</i> ) ...	374	urticæcola ( <i>Psathyra</i> ) ...	596b
tigrinus ( <i>Lentinus</i> ) ...	554	ustalis (Tricholoma) ...	88
tigrinus ( <i>Tricholoma</i> ) ...	1138, 1139a	utilis (Lactarius) ...	1084
tintinabulum (Mycena) ...	64	uvidus (Lactarius) ...	991
titubans (Bolbitius) ...	224	vaccinus (Tricholoma) ...	60
togularis (Pholiota) ...	690	vaginatus (Amanita) ...	12, 940
tomentosus (Coprinus) ...	350	Vaillantii (Marasmius) ...	1126a
tomentosus (Lactarius) ...	672a	valgus (Dermocybe) ...	750
tophaceus (Inoloma) ...	1010	variabilis (Claudopus) ...	344a
torminosus (Lactarius) ...	772	varicosus (Marasmius) ...	1121a
tornatus (Clitocybe) ...	972	variegatus (Tricholoma) ...	642
torquescens (Marasmius) ...	103b	variicolor (Phlegmacium) ...	700
tortuosus (Hydrocybe) ...	1124a	varius (Phlegmacium) ...	698
torulosus (Panus) ...	857	vatricosus (Inocybe) ...	403
torvus ( <i>Telamonia</i> ) ...	1149b	vellereus (Lactarius) ...	980
traganus (Inoloma) ...	801	velutinus ( <i>Hypoloma</i> ) ...	563
trechisporus (Inocybe) ...	757	velutipes (Collybia) ...	184a, 650
tremulus (Pleurotus) ...	403a	venetus (Dermocybe) ...	833b
trepidus ( <i>Psathyrella</i> ) ...	242b	ventricosus (Collybia) ...	145a
tricholoma (Inocybe) ...	655a		
	404b		

	PLATE		PLATE
<i>ventricosus</i> ( <i>Hygrophorus</i> )	901	<i>virosus</i> ( <i>Amanita</i> )	1
<i>venustissimus</i> ( <i>Clitocybe</i> )	265b	<i>viscidus</i> ( <i>Gomphidius</i> )	881
<i>verecundus</i> ( <i>Nolanea</i> )	349a	<i>vitellina</i> ( <i>Russula</i> )	1102b
<i>vernicosus</i> ( <i>Clitocybe</i> )	265a	<i>vitellinus</i> ( <i>Bolbitius</i> )	928a
<i>venus</i> ( <i>Amanita</i> )	3	<i>vitellinus</i> ( <i>Hygrophorus</i> )	904a
<i>verruculosus</i> ( <i>Pholiota</i> )	614	<i>vitilis</i> ( <i>Mycena</i> )	189b
<i>verticigis</i> ( <i>Collybia</i> )	149a	<i>vitreus</i> ( <i>Mycena</i> )	160a
<i>vervacti</i> ( <i>Naucoria</i> )	617a	<i>Vittadini</i> ( <i>Lepiota</i> )	36
<i>vesca</i> ( <i>Russula</i> )	1075	<i>vittæformis</i> ( <i>Galera</i> )	464a
<i>veterosa</i> ( <i>Russula</i> )	1083, 1092	<i>volemus</i> ( <i>Lactarius</i> )	999
<i>vibratilis</i> ( <i>Myxarium</i> )	744	<i>volvaceus</i> ( <i>Volvaria</i> )	294
<i>vietus</i> ( <i>Lactarius</i> )	1009	<i>vulgaris</i> ( <i>Mycena</i> )	191b
<i>vilis</i> ( <i>Clitopilus</i> )	487	<i>vulpinus</i> ( <i>Lentinus</i> )	1148a
<i>viliticus</i> ( <i>Psalliota</i> )	585		
<i>vinosus</i> ( <i>Flammula</i> )	437	<i>Whitei</i> ( <i>Inocybe</i> )	404a
<i>vinosus</i> ( <i>Inoloma</i> )	759	<i>Worthingtoni</i> ( <i>Stropharia</i> )	556
<i>vinosus</i> ( <i>Psathyra</i> )	592	<i>Wynnei</i> ( <i>Eutoloma</i> )	329
<i>violacea</i> ( <i>Russula</i> )	1060a	<i>Wynniæ</i> ( <i>Hiatula</i> )	688
<i>violaceofuscus</i> ( <i>Inocybe</i> )	1174	<i>Wynniæ</i> ( <i>Hygrophorus</i> )	905a
<i>violaceus</i> ( <i>Lactarius</i> )	998b	<i>Wynnei</i> ( <i>Marasmius</i> )	1123a
<i>violaceus</i> ( <i>Inoloma</i> )	770		
<i>violarius</i> ( <i>Pluteus</i> )	518b	<i>xanthophyllus</i> ( <i>Phlegmacium</i> )	753
<i>virescens</i> ( <i>Russula</i> )	1039	<i>xanthopus</i> ( <i>Collybia</i> )	203
<i>virescens</i> ( <i>Tricholoma</i> )	641	<i>xerampelina</i> ( <i>Russula</i> )	1053, 1074
<i>virgatus</i> ( <i>Tricholoma</i> )	167	<i>xylophilus</i> ( <i>Collybia</i> )	202
<i>virinea</i> ( <i>Russula</i> )	1197		
<i>virginens</i> ( <i>Hygrophorus</i> )	892	<i>zephyrus</i> ( <i>Mycena</i> )	158b
<i>viridis</i> ( <i>Omphalia</i> )	271b	<i>zygophyllus</i> ( <i>Clitocybe</i> )	948









C.B.

AGARICUS (AMANITA) SOLITARIUS. Bulliard.  
on the ground. Leigh Wood, Bristol, Sept. 1886.






AGARICUS (AMANITA) RUBESCENS. Fries.  
under trees. Arboretum, Kew, 1889.






AGARICUS (AMANITA) VAGINATUS. Fr. var. NIVALIS. Greville.  
on the ground. Chingford, Nov. 11, 1882.




1105  
*odour strong.*


AGARICUS (LEPIOTA) FRIESII. Lasch.

on the ground. Tunbridge Wells, &amp;c., Sept. 1887.











20 X 10-12 M

G.M.

AGARICUS (LEPIOTA) EMPLASTRUM. Cke. & Mass.  
amongst grass. Ealing, Oct. 1887.






Pd 1960


"*as well*"





M.C.C.

AGARICUS (LEPIOTA) HISPIDUS. Lasch.  
in woods. Carlisle, Oct. 1886.









G.M.


AGARICUS (LEPIOTA) FELINUS. *Fries.*  
on the ground. Queen's Cottage, Kew.


B




G.M.

AGARICUS (LEPIOTA) MICROPHOLIS. *Berk & Br*  
on cocoa-nut fibre in stove. Scarborough.













AGARICUS (LEPIOTA) CEPÆSTIPES, var. CRETACEUS. Bulliard.  
on melon bed. Coed Coch, Aug. 1886.













AGARICUS (*LEPIOTA*) LICMOPHORUS      B. & Br.  
on the ground.









*gills minutely serrate.*

7½ X 4

AGARICUS (LEPIOTA) CITROPHYLLOUS. *Berk. & Br.*  
on the ground. *Leigh Wood.* Oct., 1883.





*AGARICUS (LEPIOTA) IANTHINUS.* Cooke.  
in stove. Kew Gardens, March 1883.


B





8 X 4

G.M.


*AGARICUS (LEPIOTA) MARTIALIS.* Cooke & Mass.  
on tree fern in stove. Scarborough'.









odour strong.




AGARICUS (ARMILLARIA) JASONIS. Cke. &amp; Mass.

on stumps. Carlisle. Sept. 1887.












AGARICUS (ARMILLARIA) FOCALIS. v. GOLIATHUS. *Fries.*  
under spruce. Longwilton. Aug. 1889.










*odour mealy.*

AGARICUS (ARMILLARIA) CITRI. *Inzengi.*  
on stump. Kew. Sept. 1890.













AGARICUS (TRICHOLOMA) RUSSULA. Schœff.  
amongst grass. Pleasure Grounds, Kew, Oct. 1886.










M.C.G.

AGARICUS (*TRICHOLOMA*) VARIEGATUS. Schaff.  
on stumps. Epping. Oct., 1883.







See plate 165 (Vol 1. 84) &  
pl 947 (1119)

*slightly acrid, odour none.*

M.C.C.

AGARICUS (TRICOLOMA) ARGYRACEUS. Fries. var. VIRESSENS. Cooke.  
on the ground. King's Wood, Reigate, Sept., 1883.








See pl 165 (Vol 1. 84) & 64  
(1118).




AGARICUS (TRICHOLOMA) ARGYRACEUS, var. CHRYSITES. Jungh.  
on the ground. Oxford, 1886.










AGARICUS (TRICHOLOMA) INODERMEUS. *Fries.*amongst grass. *Pontrilas, 1885.*













AGARICUS (TRICHOLOMA) TENUICEPS. Cke. & Mass.  
under trees. Arboretum, Kew. July, 1888.







A



G.M.


AGARICUS (TRICOLOMA) FALLAX. Peck.  
ground in fir wood. Scarborough, 1883.


B




stem striate.

AGARICUS (CLYTOCYBE) CINERASCENS. Batsch.  
amongst moss. Forres, N.B., 1888.













AGARICUS (TRICOLOMA) BOREALIS. *Fries.*  
on the ground. *Birmingham and Oxford.*












AGARICUS (TRICHOLOMA) PES-CAPRÆ. Schœff.  
on the ground. Arboretum, Kew, Nov. 1886.

8 X 4









*margin tomentose.*


1125

*stem striate.*

AGARICUS (TRICHOLOMA) CIRCUMTECTUS. C. & M.  
on the ground. Arboretum, Kew. Sept. 1888.











AGARICUS (TRICOLOMA) DURACINUS. Cooke.  
under cedars. Kew Gardens. Oct., 1883.








10 X 5 M.


G.M.

AGARICUS (*TRICHOLOMA*) MELALEUCUS. var. POLIOLEUCUS. *Fries.*  
amongst grasses. Kew Gardens. May, 1887.











M.J.B.

AGARICUS (CLITOCYBE) OPIPARUS. Fries.  
on the ground. Coed Coch, Oct. 1883.













AGARICUS (CLITOCYBE) AMPLUS. Pers.  
on the ground. Penzance. 1884.












AGARICUS (CLITOCYBE) FUMOSUS. Fries. (CÆSPIOSUS)  
amongst rubbish. Pleasure grounds, Kew. Oct., 1883.







*cæspitose.*


1151





G.M.

AGARICUS (*CLITOCYBE*) SUBDECASTES. Cke. & Mass.

on the ground. Carlisle. Sept. 1887.










*Agaricus erophilus cartilagineus.*

AGARICUS (CLITOCYBE) PERGAMENUS. Cooke.  
by roadside. Lyndhurst. Oct., 1883.











*viscid,*

AGARICUS (CLITOCYBE) OCCULTUS. Cke.  
on charred ground. Chingford, Nov. 1883.













AGARICUS (CLITOCYBE) MONSTROSUS. Sow.

on the ground. Morpeth. Sept., 1883.












AGARICUS (CLITOCYBE) INFUNDIBULIFORMIS. Schäff. var. MEMBRANACEUS Fries.  
amongst leaves. Reading. Oct., 1869.











*odour strong, like A. rancidus.*


1136



AGARICUS (CLITOCYBE) SINOPICUS. Fries.  
on the ground. Dinnmore. Oct., 1884.












AGARICUS (CLITOCYBE) ZYGOPHYLLUS. Cooke.  
on the ground. Swarraton, Hants, Oct. 1886.










*odour mealy.*

6 X 4

AGARICUS (COLLYBIA) FODIENS. *Kalch.*  
on grass borders. *Alresford, Hants, Oct. 1886.*











*densely cespitose.*

AGARICUS (COLLYBIA) PROLIXUS. Fries.  
amongst dead leaves. Arboretum, Kew, Sept. 1886.












AGARICUS (*COLLYBIA*) DISTORTUS. Fries. (variety.)  
at pine roots. Coed Coch.










*pileus viscid.*

W.G.S.

AGARICUS (COLLYBIA) VELUTIPES. *Curt.* var. RUBESCENS.  
*amongst firs.* *Largo, N.B.* Nov., 1872.









C.B.



AGARICUS (COLLYBIA) FLOCCIPES. *Fries.*  
*in a stump.* *Leigh Woods, Bristol, 1889.*











AGARICUS (COLLYBIA) THELEPHORUS. C. & M.  
in peat bogs. Scarboro'.













AGARICUS (COLLYBIA) LEUCOMYOSOTIS. Cooke & Smith.  
on Sphagnum in bogs. Wimbledon Common. May, 1868.












W.G.S.

AGARICUS (COLLYBIA) TENACELLUS. *Pope*,  
under cedars. Shrewsbury, June, 1873.












AGARICUS (COLLYBIA) EUSTYGIUS. Cooke.  
on the ground near Hereford. Oct. 1890.









 $7 \times 4 M$ 


AGARICUS (COLLYBIA) MURINUS. Fries.  
on the ground. Alresford, Hants.

230





A




AGARICUS (MYCENA) MIRABILIS. C. &amp; Quelet.

(Agaricus marginellus. Fries.)


on pine wood. King's Cliffe.


B





AGARICUS (MYCENA) FLAVIPES. Quelet.

on stumps. Whitby, Yorks.










AGARICUS (MYCENA) GYPSEUS. *Fries.*  
amongst leaves. Chingford, Essex.





*gills rather thick and distant.*


W.G.S.

AGARICUS (MYCENA) CUDONICEPS. *Cooke.*  
on tree fern stems. Bull's Nursery, June, 1874.













AGARICUS (MYCENA) CONSIMILIS. Cooke.  
amongst grass. Pleasure grounds, Kew.









*milk white, profuse.*


AGARICUS (MYCENA) LEUCOGALUS.  
on stumps. Queen's Cottage, Kew.

Cooke.  
Oct., 1853.













AGARICUS (*OMPHALIA*) CHRYSPHYLLUS. Fries.  
on stumps. Forres, N.B., 1888.



AGARICUS (*OMPHALIA*) POSTII. Fries.  
amongst Sphagnum. Scarborough.










AGARICUS (MYCES) OLIVACEO-MARGINATUS. *Massee.*  
on lawns. *Kew Gardens, 1886.*

B





AGARICUS (OMPHALIA) GLAUCOPHYLLUS. *Lasch.*  
on the ground amongst moss.





M.J.B.

AGARICUS (OMPHALIA) RUSTICUS. *Fries.*  
on heathy ground. *King's Cliffe.*













AGARICUS (PLEUROTUS) RUTHÆ. Berk. & Br  
on sawdust. Coed Coch. 1883.













AGARICUS (PLEUROTUS) SAPIDUS. *Kalch.*  
on elm trunks. Chiswick, Aug. 1887.













10-11 X 5

AGARICUS (PLEUROTUS) COLUMBINUS. Quelet.  
on fallen logs. Queen's Cottage, Kew, Nov. 1886.












AGARICUS (PLUTEUS) SALICINUS. Pers.  
on rotten willow. (a) S. Wootton. (b) Leigh Wood.





C.B.

AGARICUS (LEPTONIA) ASPRELLUS. Fries.  
on the ground. Leigh Wood. Oct. 1886.











AGARICUS (*ENTOLOMA*) NIGRO-CINNAMOMEUS. *Kalch.*

amongst moss. Scarborough, Oct. 1884.










*fragile.*AGARICUS (*CLITOPILUS*) STRAMINIPES. *Massee.*

on the ground. Carlisle. Sept. 1887.









odour of *A. pisciodorus*.

A





AGARICUS (NOLANEA) NIGRIPES. Trog.  
amongst moss in swamps. Watford, 1886.


B



AGARICUS (NOLANEA) SUBGLOBOSUS. A. & S.  
on the ground. Fairmead, Epping, 1888.












12 X 5-6 M

G.M.

AGARICUS (PHOLIOTA) MOLLISCCRIUM. C. & M.  
on the ground. Carlisle. June, 1888.











M.C.C.

AGARICUS (*INOCYBE*) PERLATUM. Cooke.  
under trees. Fairmead, Epping Forest. August, 1886.










*subcæspitose.*

7-8 X 4 M

AGARICUS (INOCYBE) VIOLACEO-FUSCUS. C. & M.  
amongst grass in open spots. Park End, Gloster.










*cespitose.* $10 \times 6 M$ 

AGARICUS (*INOCYBE*) FASCIATUS. C. & M.  
on the ground. Kew Gardens.







ERMINI.

PL. 962.

viscid.





12 X 6M


G.M.

AGARICUS (HEBELOMA) ELATUS. Fries.


under oaks. Scarborough.








stinking.




20 X 10 M.

AGARICUS (HEBELOMA) NAUSEOSUS. Cooke.  
in mixed woods. Park End, Forest of Dean. Oct. 1887.










very bitter.


1157




AGARICUS (FLAMMULA) PURPURATUS. Cke. & Mass.  
on tree fern stems. Kew Gardens. May, 1887.













AGARICUS (FLAMMULA) NITENS. Cke. & Mass.  
on the ground. Carlisle, Sept. 1887.

G.M.










7 X 4 M


AGARICUS (*NAUCORIA*) LUGUBRIS. Fries.  
on grassy ground. Forres, N.B.






G.M.

AGARICUS (NAUCORIA) FESTIVUS. *Fries.*  
amongst grass in wood. Carshalton. Sept. 1886.












AGARICUS (NAUCORIA) OBTUSUS. Cke. & Mass.  
on the ground. Scarborough.










*hygrophanous.*AGARICUS (*NAUCORIA*) HAMADRYAS. Fries.

amongst grass, after much rain. Arboretum, Kew. Nov. 1886.













AGARICUS (NAUCORIA) NASUTUS. *Kalch.*  
on the ground. *Scarborough.*




AGARICUS (PHOLIOTA) BLATTARIUS. *Fries.*  
on ground. near Chingford, Epping Forest, 1883.








*odour strong.*


12 x 7 M


G.M.

AGARICUS (GALERIA) SILIGINEUS. Fries.

on road scrapings. Scarborough.








A



AGARICUS (TUBARIA) PELLUCIDUS. Bull.  
by roadsides. Collyweston.


 $14 \times 7 \mu$ 

B




G.M.

AGARICUS (TUBARIA) MUSCORUM. Fries.  
amongst moss on heaths. Scarborough.













G.M.

AGARICUS (*CHITONIA*) RUBRICEPS. Cke. & Mass.  
on soil in Arvid House, Kew Gardens. Dec. 1886.












AGARICUS (*PSALLIOTA*) SAGATUS. Fries.  
under beech. Kew Gardens. Oct. 1886.













G.M.

AGARICUS (*STROPHARIA*) MERDARIUS, var. MAJOR. Fries.  
on the ground. Scarboro'.











AGARICUS (*STROPHARIA*) SCOBINACEUS. Fries.  
at the base of ash trunks.









$6 \times 3\frac{1}{2} M$ 

AGARICUS (HYPHOLOMA) CATARIUS. Fries.  
amongst grass. Kew Gardens. Sept. 1888.









 $8 \times 4\mu$ 

AGARICUS (HYPOLOMA) INSTRATUS. Britz (?).  
on stumps. near Shrewsbury.












AGARICUS (*PSilocybe*) AREOLATUS. *Klot.*, variety.  
on wood. Malton, Yorks










*disc atomate.*

AGARICUS (*PSILOCYBE*) CLIVENSIS. Berk. & Br.  
amongst grass, on downs. Alresford. June, 1886.












G. M.


AGARICUS (*PSATHYRA*) *GYROFLEXUS*. Fries.  
amongst rubbish. Richmond Park. Sept. 1886.







AGARICUS (*PSATHYRA*) CONOPILEUS *forma SUPERBUS.* Jung.  
on banks Scarborough.








*delicate and fragile.*





G.M.


$18 \times 9-10.\mu$

*BOLBITIUS CONOCEPHALUS.* *Bull.*  
*on the ground, palm house, Kew Gardens.*












*BOLBITIUS GRANDIUSCUS.* C. & M.  
amongst grass, on the cliff, Scarborough.







*pileus viscid.*





C.B. & M.C.C.

CORTINARIUS (PHLEGMACIUM) TESTACEUS. Cooke.

on the ground. Whitfield, Oct. 1890.








*viscid.*


*edge of gills serrate.*


$10-12 \times 8 M$

CORTINARIUS (MYXACIUM) NITIDUS. Fries.  
on the ground, near Carlisle.










10 X 5 M


M.C.C.

CORTINARIUS (TELAMONIA) LUCORUM. Fries.

in woods. Morpeth, Sept. 1888.












CORTINARIUS (TELAMONIA) CROCEO-FULVUS. Fries.

on the ground. Carlisle, Sept. 1888.











CORTINARIUS (HYDROCYBE) ANGULOSUS. Fries.  
on the ground. Carlisle. Aug. 1854.









7-8 x 4 M

PAXILLUS ALEXANDRI. Fries.  
on the ground. Epping Forest, 1889.










6-7 X 4 M


HYGROPHORUS (*HYDROCYBE*) SPADICEUS. Fries.  
on the ground. Clun Forest. July, 1888.





pl 1194


"*Lact. nivolum* pl 1194  
I think is the same  
as *L. scoticus*". See pl  
1004 3 (Vol 7. 938)




G.M.

LACTARIUS (PIPERITES) INVOLUTUS. Soppitt.  
on the ground. Bolton Woods, Yorks.







*milk white, mild.*



LACTARIUS (*PIPERITES*) SQUALIDUS. Krombh.


on the ground. near Halifax.









mild.





G.M.

RUSSULA (FURCATÆ) VIRGINÉA. C. & M.  
under beeches. Burnham Beeches, Oct. 1890.











RUSSULA OCHROLEUCA var. CLAROFLAVA *Grove*  
*on the ground* Suton Park.











BINDING SECT. MAR 18 1974

QK  
607  
C67  
v.8

Cooke, Mordecai Cubitt  
Illustrations of British  
Fungi

BioMed

PLEASE DO NOT REMOVE  
CARDS OR SLIPS FROM THIS POCKET

---

UNIVERSITY OF TORONTO LIBRARY

---

